



**Highly Suitable For**

Tea, Granules, Mouth Freshner, Mints, Pulses, Sugar, Rava, Puttu Podi Etc

**Technical Specifications**

Type of Seal	: Center Seal
Packing Material	: Heat Sealable Lamination Film
Filling Range	: 5grms-500g (Depend Upon Nature of product)
Production	: 20 - 40 Pouch per Minute
Power Consumed	: 3kW
Machine Weight	: 400 kg (Approx)
Filling Accuracy	: +/- 3% (Depend Upon Nature of product)
Sealing	: Vertical & Horizontal Sealers run through Pneumatic cylinder

Touch Screen Hmi with PLC System and drive trolley system pouch conveyer belt and many more inbuilt features.

**FULL AUTOMATIC COLLER TYPE CUP FILLER**



**Highly Suitable For**

Biscuits, Chocolate, Chicki, Coconut Ball, Cakes, Soap, Tapes, Switches, Automobile Parts, Diapers Etc

**Technical Specifications**

Type of Seal	: Center Seal
Packing Material	: Heat Sealable Lamination Film
Filling Mode	: Solid & Unique Product
Production	: 40-80 Pouch per Minute (Depend on Product)
Power Consumed	: 5kW
Machine Weight	: 400kg (Approx)
Filling Style	: Automatic / Manual
Adjustment system	: Drive



**HORIZONTAL FLOW WRAPPING MACHINE**



**INKJET PRINTER**



**RIBBON CODING**



**TIJ PRINTER**



**MYCODER**



**CONTINUOUS BAND SEALER**

9496070748 | 9526666699 | 9746294930

Cheeram Veetil Building, Govt. Hospital Road, Narayana Nagar Vatakara, Kozhikode(Dist)-673101 GST IN : 32IDIPK7604B1ZU



**PACKON  
DEVICES**  
Complete Packing Solutions

**Highly Suitable For**

Namkeen, Pulses, Potato Chips  
Dry Fruits, Pasta, Macroni etc

**Technical Specifications**

Type of Seal	: Center Seal, Back Seal
Weighing Head Nos.	: Four Head
Filling Range	: 5grms - 5KG (Depend Upon product)
Production	: 20-40 Pouch per Minute
Power Consumed	: 5kW
Machine Weight	: 750kg (Approx)
Filling Accuracy	: +/- 1%
Bucket Thickness	: 1.2m Plain SS304
Touch Screen	: 7 inch Hmi at Beggar and 10.4 inch for weighing Filler

Trolley System with Touch Screen Hmi at Beggar Machine (Which Converts Open Laminates in pouch). Delta Automation 99% Weighing Accuracy (Two Head Bucket System). Weighing Filling and Sealing Takes Place Automatically.



**AUTOMATIC FOUR HEAD LINEAR WEAHER WITH BEGGAR MACHINE**

**Highly Suitable For**

Namkeen, Pulses, Potato Chips  
Dry Fruits, Pasta, Macroni etc

**Technical Specifications**

Type of Seal	: Center Seal, Back Seal
Weighing Head Nos.	: 14 Head (for Weighing the Product)
Filling Range	: 5grms - 5KG (Depend Upon product)
Production	: 20-100 Pouch per Minute
Power Consumed	: 5kW
Machine Weight	: 950kg (Approx)
Filling Accuracy	: +/- 1%
Bucket Thickness	: 1.2m Plain SS304
Touch Screen	: 7 inch Hmi at Beggar and 10.4 inch for weighing Filler

Standing Platform, 99% Single Servo Motor Weighing Accuracy (14 Head Bucket System). Automatic trolley for laminate Adjustment Delta Automation Weighing Filling and Sealing Takes Place Automatically.



**14 MULTIHEAD WITH SERVO BASED BEGGAR**

**Highly Suitable For**

Spices, Rice Powder, Atta, ORS Powder etc

**Technical Specifications**

Type of Seal	: Center Seal, Back Seal
Packing Material	: Heat Sealable Lamination Film
Filling Range	: 5grms - 2KG (Depend Upon nature of product)
Production	: 20-60 Pouch per Minute
Power Consumed	: 5kW
Machine Weight	: 550kg (Approx)
Filling Accuracy	: +/- 1-3% (Depends up on Products)
Sealing	: Vertical and Horizontal Sealers Run Through Pneumatic Cylinder
Filling Type	: Augour Filler System

Touch Screen Hmi with PLC system and drive trolley system pouch conveyor belt and many more inbuilt features.



**FULL AUTOMATIC COLLAR TYPE MACHINE**

**Highly Suitable For**

Shampoo, Lubricants, Oil, Wine, Ketchup,  
Ginger Paste, Fruit Pulp Etc.

**Technical Specifications**

Type of Seal	: 3 Side, 4 Side Seal
Packing Material	: Heat Sealable Lamination Film
Filling Range	: 2ml-500ml (Depend Upon nature of product)
Production	: 40-120 Pouch per Minute (Depend on Product)
Power Consumed	: 3kW
Machine Weight	: 400kg (Approx)
Filling Style	: Liquid Pump
Filling Accuracy	: +/-3% (Depends Upon Products)

Mechanical working - Clutch Break Motor with Gear box for pulling Pouch and pump system. No compressor required to run this machine.



**FFS AUTOMATIC FORM FILL & SEAL MACHINE (FOR LIQUID & PASTE)**



**FFS MACHINE**



**FFS PNEUMATIC**



**AUGER FILLER**



**STRIP MACHINE**



**AUTOMATIC FOR JUICE**

**SEMI AUTOMATIC  
GRAMILE FILLER**



**SINGLE HEAD PNEUMATIC**



**AUTOMATIC LIQUID FILLERS**

**SEMI AUTOMATIC LIQUID FILLER**



**FFS MACHINE**



**SCREW CONVEYOR**



**BATCH MIXER**

**STRIP MACHINE**

**AUTOMATIC FOR JUICE**

**SEMI AUTOMATIC  
GRAMILE FILLER**

**SEMI AUTOMATIC LIQUID FILLER**

**SINGLE HEAD PNEUMATIC**

**AUTOMATIC LIQUID FILLERS**